

BULLETIN No. 8

ISSUED MONTHLY

A JOURNAL
— OF —
**THERAPEUTIC
FACTS**
FOR THE
BUSY DOCTOR

ELI G. JONES, M. D., Editor
Burlington, N. J.

W. E. BREMSER, M. D., Pub.
1525 Franklin Ave., St. Louis, Mo.

St. Louis, Mo., June 1, 1913

Our Association

is a Grand Brotherhood, composed of the best, the brainy men of all schools of medicine; men who want the best there is in medicine; men who are doing things in their profession, whose heart and soul are in the work of saving human life.

This is a call for every man who loves his fellow-man and his profession, and who wants to do his whole duty by his patient. We want you with us! Will you come and will you do it now.

Membership Fee, only \$2.00

EDITORIAL.

"ON TO POUGHKEEPSIE, N.Y." IS THE SLOGAN FOR 1913.

Our Association is growing, but not so fast as it might. The personal appeal for more members from the President has touched a responsive chord in the heart of some of our members, others seem indifferent in regard to the matter.

To classify and simplify the recruiting of members, we have assigned a certain number to each State, that we call a quota. There are some 16 States that have, or nearly have filled their quota of members. In number of members Pennsylvania is at the present time the BANNER State, Ohio second, with New York and Missouri a close third. Michigan, Iowa and Oklahoma are fighting it out for fourth place, The following States have filled their quota or nearly so: New Jersey, Indiana, California, Washington, Arkansas, Massachusetts, Kansas, Texas and Illinois. A little exertion by our members in those States would fill up their quota or double their quota within a week. Will you do it?

"No man liveth to himself," We are in the world to help each other. By getting a Doctor into our Association, you are helping him to be a better physician, to fit himself to do more for the sick than he is doing. It is God's work, for it means the saving of human life the lessening of mortality.

The State that has the most members in it by Sept. 2, 1913, will be known as the "Banner State" of our Association, and will receive honorable mention in the President's Annual Address, and will be given out in our report to the Associated Press. This will be a great honor and worth striving for. Every member feels a pardonable pride in his own State, and naturally wants to see his State win, and be the "Banner State." This will make the contest very exciting and interesting; each month until September you will see the report in the Bulletin how the race stands.

As the next Convention is to be held in New York State, the members from the Empire State should try to get out a good representation from that State. The following States Pennsylvania, Ohio, New York and Missouri have responded nobly to the call for members, and have nearly doubled their quota of membership.

Our coming Convention will be different from any other Medical Society you ever attended. It is a Post-Graduate course, a school of instruction from start to finish. The program has been made up with one object in view, to make it practical and helpful to the busy Doctor in his every day practice. You will learn more in one day at our Convention than you ever did at any Medical Society. Let every member do his part and we will go up the Hudson river to Poughkeepsie, N. Y., in September with a splendid body of men.

WHICH STATE WILL BE THE "BANNER STATE" OF OUR ASSOCIATION?

Death has entered our ranks and taken from our midst Dr. A. J. H. Mackie, Philadelphia, Pa. He was one of the "Old Guard" who helped found our Association. He entered into rest April 14, 1913, in the

55th year of his age. Dr. Mackie was a Physio-Medical physician, a 33 degree Mason, a man that we all loved and respected. He has the honor of having named our Association. His death was a great shock to me, for I realize that we have lost one of our best members.

"After life's fitful dream, he sleeps well."

We need more "Therapeutic Facts." Please be prompt in sending them in to the Editor. We must have the help of each member if we are to make this a practical, helpful Journal.

If you use Mercury in the treatment of Syphilis, the best and the safest remedy for that disease is Iodide Potash, two drams. Mercury Bin-Iodide, two grains. Aqua Gaultheria, eight ounces.

Mix. Sig.: One teaspoonful before meals and bed-time.

By the use of this remedy the sore throat disappears, also the eruptions, and all serious tertiary symptoms are prevented. In this combination, the Mercury unites with the Potash and carries it out of the system, thus preventing the Mercury fastening itself upon the tissues.

The modern surgeon is very swift to operate on a case of Gall-stones, as a result many patients die from hemorrhage or the shock of the operations. To relieve the gall-stone colic, and cure the habit, give

Tr. Lobelia Seed, four drams.

Fl. Ext. Chi on an thus, two drams.

Fl. EXt. Podophyllum, one dram.

Fl. Ext. Wild Cherry q. s. ad, four ounces. Mix. Sig.: One teaspoonful every 2 hours until pain is easier, then 3 times a day.

I have received letters from people in different parts of our country asking me to give a treatment for "Child-Bed Convulsions."~ Some of these letters come from large cities and towns where there are physicians of all schools located. The reports come to me that "Every case of convulsions at child-birth dies," that the Doctors can't save them. This is no great credit to the Doctors in that vicinity. They should join our Association and learn how to treat such cases successfully.

The only way to treat Cancer successfully is to have a Sanitarium, where the patients can be under your personal care; where you can watch them from day to day. Since I have had a Sanitarium for Cancer patients my success has been greater than ever before. Last year I had patients sent to me by physicians from 14 different states.

To stem the tide of Drugless healing and Medical Nihilism, that is sweeping over our country, our Doctors must fit themselves to do more for the sick than they are doing; they must be able to treat successfully the diseases common to our country. Very few Doctors know how to treat Chronic diseases, as a result of this we have 20,000,000 people suffering from chronic diseases in our country, and not a chair in any of our Medical Colleges that makes a business of teaching their students how to cure chronic diseases. A Doctor when he graduates from a Medical College is sup. posed to know the cause, symptoms and treatment of several hundred diseases, but how many of them can he actually cure? That is what I want to know and that is what the public want to know.

From July 16th to August 13th, 1913, I will take a few students for personal instruction, in practical diagnosis, in the definite indications of remedies, in the definite treatment or the diseases common to our country. In short, to fit them to heal the sick. The students that go out of my office are taught to believe in themselves, to have faith in their remedies, and that disease is their slave and not their master. They are scattered all over the country, and have made a reputation by their success in healing the sick.

We fully appreciate the great interest that our 3 members-Dr. F. A. Greene, New York City; Dr. O. H. Crandall, Quincy, Ill., and Dr. H. S. Huckins, of Des Moines, Iowa-are taking in our Association. We thank you for the new members added to our roll. "Do so some more." Keep your eye on Iowa.

Dr. Arthur Vos, Cincinnati, Ohio, one of the "bright and shining lights" of our Association, is studying up the whole subject of Cancer from the dawn of civilization to the present time. The Doctor is a student of mine and has the largest general practice of any Doctor in the "Queen city of the West."

--

Dr. W. G. Jefferson, Portland, Me., Chairman of our "Cancer Commission," will present a report at our next Convention that will be "bullet-proof." It will stand the fire of criticism. Medical men all over the world are waiting with deep interest for that Report.

--REMEDIES FOR RHEUMATISM.

The rheumatic subject we have always with us, and when we know how, we can do them good. Study carefully the indications of each remedy. A rheumatic pain in the right arm and shoulder, worse at night, cannot raise the arm, calls for Sanguinaria Ix, three tablets once in two hours.

Rheumatic pain in the left shoulder and Del. toid, down the arm to the fingers; arm feels tired; can hardly raise it, calls for Ferrum Met 3x, three tablets once in three hours.

Rheumatism that begins in the feet and extends upwards, makes us think of Tr. Ledum Palustre (Wild rosemary) 3x dil., 15 drops in half a glass of water, teaspoonful once in two hours.

When rheumatic pains are in the back, and back of neck and head, Tr. Cimicifuga is the remedy, Ix dil., 5 drops once an hour.

Shifting pains in small joints, pains worse at night in a warm room, better in the open air, need Tr. Pulsatilla 3x dil., 5 drops once in two hours.

When rheumatic pain is in the right knee, with urine strong-smelling and high colored, Benzoic Acid 3x dil. is the remedy; 15 drops in half-glass of water, teaspoonful once in two hours.

Rheumatism from exposure to cold damp weather, Tr. Dulcamara 3x dil., 5 drops once in two hours. I like Sal Hepatica as an intercurrent remedy in all cases of rheumatism; it will help you to cure your patients in connection with your other remedy.

We think of Tr. Rhododendron in rheumatism that is worse before a thunderstorm; pain is deep in the bone and periostium, 3x dB.; 5 drops once in 2 hours.

In stiff joints of fingers, enlarged joints with chalky substance, Phosphate of Ammonia is the remedy, 3x; three tablets once in three hours.

THERAPEUTIC FACTS.

D 66 PLEURISY.

Cleanse the painful spot, then wash the same with Acetic Acid or Vinegar. Warm a piece of "Canthos" (Johnson and Johnson), apply over painful area. This will relieve the pain in a short time and promote absorption of the adhesions faster than by any other method. Try it and you will be pleased with the result. Give the internal remedies as indicated.

D 67 CAKED BREASTS.

Try an ointment of Tr. Polyminia (Lloyd), one-half fl. ounce; Lanolin, one ounce. Mix. Melt the Lanolin, and add the Tr. Polyminia slowly, then let it stand until cool. Sig.: Apply to breast three times a day.

D 68 SCIATIC RHEUMATISM.

In this disease, when pressure on the painful parts relieves, give Tr. Colocynth 3x dil., 10 drops in a little water every two hours. Also Rheumatic pill No. 83 (Otis Clapp and Son, Boston, Mass.)

D 69 A QUICK CURE.

Patient, female; age 40; feels well aE! long as she remains perfectly still, but the slightest movement causes sharp stinging pains; tip of tongue shows small red points on upper surface. This indicates Rhus. Tox. I gave:

Tr. Rhus Tox, gtts. ten.

Tr. Apis mel, gtts. ten.

Tr. Bryonia, gtts. five.

Tr. Cactus Grand, one-half dram. Aqua q. s. ad, four ounces.

Mix. Sig.: Teaspoonful every half hour for 3 hours, then every hour.

Met patient on the street next day, feeling all right,

D 70 QUININE. (INDICATION FOR).

The tongue should be moist and cleaning; pulse irregular, weak and small; patient sweats from the slightest exertion; great debility and night sweats after any acute disease indicates Quinine. Never give Quinine when the skin is hot and dry, pulse hard, and tongue dry. If you do you will do your patient harm.

D 71 IRON (FERRUM) IN ANEMIA.

Iron is not always indicated in anemia; it is only to be given when indicated. The face flushes from the least excitement; ashy pale, or greenish face, great paleness of mucus membranes, especially of cavity of the mouth. Always feels better when walking about if ever so weak; rush of blood to the face; beating, pulsating pain in head; menses too soon. too profuse, flow pale and watery, Ferrum 3x tablets after each meal and at bed. time.

D 72 NATRUM MUR. IN ANEMIA.

This remedy is often indicated in anemia when Ferrum would not help them, because it was not indicated. We prescribe Natrum Mur. in anemia when there is general paleness and emaciation, notwithstanding they eat well. After eating they feel weary and sleepy. They have severe attacks of throbbing headaches generally after the monthly period. whether flow is scanty or profuse; there is fluttering of the heart, palpitation, intermittent action of the heart; patient sometimes long for salt. Natrum Mur. 6x, three tablets once in three hours.

D 73 DISTIL. EXT. WITCH HAZEL.

Thirty years ago I was consulted by a lady who had Neuralgia in side of her face. She had applied a strong liniment that eased the pain, but blistered her face so the skin had turned white. Constant application of Dist. Ext. Witch Hazel during the day, removed the soreness of the skin so that she went to the opera in the evening. As a local application for inflammation of a part it stands without a rival.

D 74 SULPHO-CARBOLATE OF SODA AND CHRONIC CATARRH.

Now is a good time of the year to treat catarrh. The best local remedy for dry catarrh with bad breath, patients blow chunks of mucus from the nose, and can't smell good. Dissolve half teaspoonful of the above remedy in a pint of warm water. Use one-half as a gargle, the remainder as a spray up the nostrils with an atomizer. It dissolves the tenacious slimy purulent mucus and renders them thoroughly aseptic. See "Definite Medication" for the indicated internal remedy, page 49 and 50.

D 75 SYMPHYTUM OFF. (COMFREY) IN FRACTURES.

In your next case of fracture of a bone, give Tr. Symphytum Ix, 15 drops in half glass of water, teaspoonful every two hours. It lessens the pain and makes the bone unite together quicker. Don't forget this, for your patient will thank you for it.

D 76 INSOMNIA OF MANIA. DELIRIUM TREMENS AND MORPHINE VICTIMS.

Give Hydrobromate Hyoscin, gr. one. Aqua Dist., nine drams. Alcohol, one dram.

Mix. Sig.: 5 drops will produce sleep in 20 minutes.

D 77 ENLARGEMENT OF SPLEEN. CEANO THUS AMER.

When there is enlargement of spleen with painful tenderness in left side; can. not lie on left. side, feels chilly and dreads the cold. Our Southern brothers should remedy that. This is the "Organ remedy" for the spleen; it will reduce the enlargement of that organ with the above symptoms; the remedy is Tr. Ceanothus Amer. Give five drops three times a day.

D 78 GLONOINE FOR HEADACHE.

The indications for Glonoine (Nitroglycerine) in headache, a throbbing headache that seems to arise from the neck; it is visible in the Carotid arteries; the vessels are full to bursting; headache worse when patient lies down, can't bear to have head covered; patient carries his head very carefully, the least jar greatly aggravates the pain. Look out for convulsions at child-birth, when the head feels as if expanding from fullness. Glonoine is the remedy. It is the first remedy we think of in sunstroke. Glonoine 6x dil., 10 drops in half-glass of water, teaspoonful once in 15 minutes till relieved.

D 79 COCCULUS INDICUS.

A lady mentioned a peculiar symptom that she had at times. She felt a great desire to run backwards, jump up and down, and crow like a rooster. She had tried different doctors, but none of them could help her. I gave her Tr. Cocculus Indicus 2x dil., 5 drops every 2 hours, and it cured her. (She must have been a female Suffragette.-Ed.)

D 80 ENLARGEMENT OF LIVER.

A lady past the menopause, had perpendicular enlargement of liver, feeling of weight in the right side of the abdomen. with tenderness over region of liver. That Is an indication for Tr. Chelidonium. Gave her ten drops three times a day; in one month the remedy had reduced the enlargement to its normal size.

Another case of a man 60, complained of excess of fat; fullness in stomach, violent perspiration on moving about, had to change his shirt during forenoon; shortness of breath going up a hill. Gave him the same remedy as above. In a few weeks enlargement of liver was reduced, shortness of breath better, and had lost some weight, and could walk upstairs as well as ever.

D 81 PAINFUL MICTURITION.

A lady that I was treating for Prolapsus Uteri had one symptom that made her frantic at times-the burning and straining when urinating. I gave her Tr. Triticum 10 drops once in 2 hours, It relieved her so quickly that she thought it was a wonderful medicine. Don't forget this remedy in dysuria.

D 82 INFRAMAMMARY PAIN.

Sharp piercing pain in right breast just below the nipple; it hurts to take a deep breath; pain extends to shoulder and right arm. Give Sanguinaria 3x, three tablets every three hours. Pain below left breast in female (single) Tr. Cimicifuga Ix dil" 5 drops once in two hours; if with scanty menstruation, Tr. Pulsatilla 5 drops three times a day.

D 83 SORE THROAT OF SYPHILIS.

When there are ulcers in throat and te. nacious mucus; sensation of a hair in the throat, give Bichromate of Potash 3x, 2 tablets once in 3 hours.

D 84 INTERCOSTAL RHEUMATISM.

I have found one remedy to be depended upon in that kind of pain in the chest. Fl. Ext. Asclepias Tub. green root (Merrell's), 20 drops once in 2 hours.

D 85 URTICA URENS IN GOUT

This remedy is more frequently indicated in Gout than any other remedy. It is especially indicated when there is fever, hot and cold flashes, passage of gravel, uneasy feeling in left side and great restlessness. Give Tr. Urtica Urens, 10 drops night and morning.

D 86 SPIRITUS GLANDINUM QUERCUS DISTILLED FROM ACORNS.

This remedy is indicated in enlargement of the spleen in old drunkards; coated tongue, foul breath, pain in left side, vertigo and flushed face. Give Spiritus Glandinum, 10 drops in a little water three times a day. It acts as antidote to the alcoholic state, and lessens the craving for liquor. The breath becomes nor. mal, giddiness disappears, and the patient has returned to his normal condition. The above remedy can be obtained at a Homeopathic Pharmacy.

D 87 TREATMENT OF LA GRIPPE.

The patient should be put to bed, drink plenty of hot lemonade, cover up warm and produce a sweat, then give

F. E. Gelsemium, two drams.

F. E. Hyocyamus, two and one-half drams.

Glycerine, one ounce.

Aqua, three ounces.

Mix. Sig.: Teaspoonful every 2 Lo 4 hours (for an adult). This treatment will knock out any case of La Grippe in 24 to 72 hours.

D 88 MURIATE AMMONIA IN BRONCHITIS.

I use this remedy in bronchitis when the bronchial tubes are filled with viscid phlegm, expelled with difficulty; throat swollen, cannot open mouth, hoarseness, burning and rawness in larynx. Ammon. Mur. 3x, three tablets every three hours.

D 89 ULCERATION OF OS UTERI.

When there is prolapsus Uteri, pains in left ovary and back, ulceration of cervix, with ichorous discharges; cervix swollen and infiltrated, the remedy is Argentum Metallicum 3x, three tablets every 3 hours.

D 90 ASTHMA HUMIDUM.

In this condition in old people with chronic catarrh; symptoms of oedema of lungs; where shortness of breath is the principle symptom, I have given Pulmo VUlpis Ix, three tablets once in two hours with good success.

D 91 SUCCUS CALENDULAE.

I have used with great success a 25 per cent solution of the above remedy as a spray on fresh wounds. It helps to heal by "first intention." Pus cannot live in its presence. It can be obtained at a Homeopathic Pharmacy.

D 92 ANOTHER QUICK CURE.

I was called at 7: 30 p. m. to see a man who was suffering from La Grippe. Had recovered, then caught cold. When I arrived within fifty yards of the house, I could hear him scream with every breath; the pain in left lung and heart was sharp and cutting; he could not breathe without screaming; his eyes had a wild despairing look. I cannot describe that expression though every Doctor has seen it. I thought his time had come to die. I gave him Aconite 3x in alternation with Phosphorus 6x. Applied hot cloth over his chest. In a short time he was all right.

D 93 ECLAMPSIA (ITS PREVENTION).

In the latter months of gestation should dropsical symptoms arise, give at once the following:

Lloyd's Tr. Apocynum.

Tr. Caps ella, aa, one dram.

Tr. Cactus, one-half dram.

Aqua q. s. ad, six ounces.

Mix. Sig.: Teaspoonful once in three hours.

In connection with this and to secure daily evacuation of the bowels, I advise one quart of lemonade, to which has been added one ounce of Cream of Tartar. As the latter is not very soluble, stir it up thoroughly before drinking it. The Apocynum has a very good effect upon the circulatory apparatus in general. I get better results by the combination to strengthen it. By the timely use of this prescription, you may save yourself much trouble and save a life which otherwise would be sacrificed.

D 94 DIABETES MELITUS,

The number of deaths from Diabetes have nearly doubled in 10 years. The following remedy has been used successfully by some of our best prescribers:

Lloyd's Tr. Lycopus, two ounces. Tr. Belladonna, one-half dram. Fowler's Sol. Arsenic, one dram.

Lloyd's Tr, Cinnamon, three drams. Glyconda (Lloyd) q. s. ad, eight ounces.

Mix. Sig.: Teaspoonful once in 3 hour, for 3 weeks, then 3 times a day. (Glyconda is the old Neutralizing cordial revised and improved.)

D 95 OBSTINATE CASES OF CHRONIC BRONCHITIS.

I give for the cough:

Lloyd's Tr. Inula Helenium, two drams.

Lloyd's Asclepias Tub., two drams. Simple syrup, two ounces.

Aqua q. s. ad, four ounces.

Mix. Sig.: Teaspoonful every half hour until cough is better, then hourly.

D 96 DEFINITE INDICATIONS FOR CAUSTICUM AND PHOSPHORUS IN COUGH AND SORE THROAT.

When there is a sore raw streak extending down the trachea, that the patent can show you with one finger over the line of the trachea, it indicates Causticum; the rawness indicating Phosphorus is broader, covers more surface, and the patient will use all the fingers of one hand to cover the rawness. Mark well the difference, for it may help a quick cure.

D 97 INFLUENZA (LA GRIPPE).

In the U. S. in 1890 there were 12,957 deaths from this disease; in 1900 16,654. Definite Medication" teaches how to Cure this disease. There is no excuse for any Doctor not knowing now to treat the above disease successfully. At one Medical Society a year ago, made up of scientific men, they declared that there was no cure for La Grippe; that the best thing to do for the disease was to curn them outdoors in the cold air.

D 98 RESTORING THE LIFE OF A STILLBORN CHILD.

I have in some cases where the child does not breathe or cry out after its birth adopted the following plan: Clear the mouth; then take the navel cord between thumb and finger, and strip it from the mother to the child; also blowing your breath in the child's mouth. If this fails don't wait, but gently and firmly remove the placenta, and place the placenta over a pan of hot coals of fire, then strip the cord as before. This plan will succeed where other means have failed. It was used by Dr. Samuel Thomson, the Father of the Botanic School or Medicine.

D 99 GASTRALGIA. (CRAMP IN THE STOMACH).

I have been called out many times at night to visit patients that had eaten something that caused distress and cramp in the stomach. I always have Hayden's Viburnum Comp. in my buggy case.

Put teaspoonful in half-cup of hot water, let the patient drink that, and in 10 or 15 minutes give another dose. If needed, I have never known it to fail to relieve, and it is just as useful in colic. The formula for the above remedy originated with Dr. Wm. R. Hayden, one of the fathers of the Eclectic School of Medicine in New York City. It is composed of Viburnum, Dioscorea and Cinnamon. My patients used to call it my "Mince-pie Medicine." I have used it for over 40 years and always keep it in my office. It will relieve the pain of dys. menorrhoea when other remedies fail, when given as above.

D 100 THE TOXIC EFFECT OF BELLADONNA AND ACONITE.

The reader should remember that Lloyd's Specific Tinctures are 3 times as strong as the Homeopathic Tinctures. The regular dose of Tr. Belladonna (Lloyd) is 5 to 10 drops in four ounces of water, teaspoonful once an hour. In my experience this is too strong a dose, for I find often times patients complain of dryness of mouth after taking 2 or 3 doses. This dryness of the mouth is the toxic effect of the drug, and that we don't want. Now if you take Tr. Belladonna 1x dil., put 15 drops in half-goblet of water, give one teaspoonful every hour, you will get the remedial effect only. For children use Tr. Belladonna 3x dil. in the same way. As Aconite is sometimes given it increases the fever, restlessness and hardness of the pulse, thus showing that the patient is getting the toxic effect of the drug. In small doses-just sufficient to get the remedial effect-and no more, your patient will soon break out in a moist perspiration, the restlessness is gone, the pulse is softer and less frequent-then you know that your Aconite is doing your patient good. I would advise that the Tr. Aconite be given in the same way as the Tr. Belladonna. I feel confident that you will be pleased with the results.

E 1 ARTERIAL SEDATIVE.

What is an arterial sedative? It is a remedy that acts as a brake to slow the action of the heart. One of the teachers of Materia Medica advises the following: Tr. Veratrum Vir. Tr. Gelsemium aa, one-half dram. Aqua q. s. ad, four ounces. Mix. Sig.: Teaspoonful once an hour. The reader must remember that here are two very powerful arterial sedatives combined, they will slow the heart's action, and if kept on long enough would stop the heart's beating entirely. Personally I would not dare to give such a prescription to any patient. Let me caution the reader to be careful about combining two or more arterial sedatives in a prescription. There is always a danger to it. The reckless use of arterial sedatives such as Aconite, Belladonna, Gelsemium, Veratrum Vir., Digitalis, Jaborandi and the coal-tar products are one of the chief causes of many sudden deaths from heart disease. Remember that a remedy in remedial doses is safe, but in toxic doses it is dangerous.

E 2 A CASE OF GLOSSITIS.

I was called to see a case of Glossitis 24 hours after the first rigor. The whole tongue was enormously swollen; it nearly filled the cavity of the mouth, so that the throat could not be seen; tonsils felt enlarged and were painful to the touch. Tongue coated white, but point and edges red, glossy, tense and shining; the patient could not speak or swallow. I gave Tr. Belladonna 3x dU., 15 drops in half-glass of water, teaspoonful every hour, in alternation with Mercurius 5x, three tablets hourly. Improved from the start, in 48 hours hardly a trace of the disease left.

E 3 A CASE OF CHRONIC BRONCHITIS.

A middle aged man had distressing cough with progressive emaciation; profuse sweat day and night, vitality very low. I gave him Tr. Myosotis Symph., 5 drops every hour. This was the remedy indicated, and it cured him in a few weeks.

E 4 A CASE OF FALSE CONCEPTION.

In a case of this kind that I saw in consultation with another Doctor, the woman had lost so much blood from the severe flowing that the physician sat by her side with his hand on the pulse giving her stimulants to keep her alive. Hayden's Viburnum Comp. was ordered in half-teaspoonful doses every 2 hours in cold water. It was the remedy needed and it cured her.

E 5 HEARTBURN AND WATER BRASH.

If with the above symptoms there is a feeling of a lump or stone in the stomach, give the following; Tr. Ables Nigra, one dram. Pepsin pure, one-half dram. Glycerin, one-half ounce. Aqua q. s. ad, four ounces. Mix. Sig.: Take teaspoonful after each meal.

E 6 WHEN EPISTAXIS RELIEVES HEADACHE.

In congestion of the brain, with Intense redness of the face and throbbing Carotids; a headache that is relieved by profuse epistaxis, calls for Tr. Melilotus Alba (Sweet Clover) lx, 5 drops every hour. We may have this intense redness of face and epistaxis sometimes in Typhoid fever or Diphtheria, then Melilotus is the remedy.

E 7 SPONGIA IN VALVULAR DISEASE OF THE HEART.

In valvular disease of the heart, when the patient wakes out of sleep from sense of suffocation, violent loud cough, great alarm, and difficult respiration. It not only relieves the paroxysms, but valvular murmurs have disappeared under its action. Give Spongia lx, 3 tablets every hour.

E 8 A PLEASANT MIXTURE OF CASTOR OIL.

To make the dose of castor oil pleasant for children: To one ounce of the oil, add one ounce of Glycerin and 2 drops pl oil of Cinnamon. Children will take it better than in any other form.

E 9 WHEN CHILDREN'S TEETH TURN BLACK.

Tr. Staphisagra is the remedy when children's teeth turn black and crumble as soon as they appear. Give Tr. Staphisagra 6x, 15 drops in half-glass of water, teaspoonful every 3 hours.

E 10 FAINTING SPELLS,

When women have fainting spells without any apparent cause, it would lead us to suspect Ovarian tumor, and Apis Mel. would be the remedy indicated.

E 11 BLOATING OF EYELIDS.

Bloating of lower eye-lids, they hang down like bags of water indicates Apis Mel. and is often found in Bright's disease. Bloating of the upper eyelids is generally found in weak heart. It indicates Kali Carb. When the bloating is all around the eyes, It indicates Phosphorus.

E 12 IRREGULARITY OF MENSES.

When the monthly periods are irregular, with uterine or cervical leucorrhoea taking the place of the menses, it indicates: Tr. Senecio Aurens, one dram. Aqua q. s. ad, four ounces. Mix. Sig.: Teaspoonful once in three hours. It is the female regulator par excellence.

E 13 HYSTERICAL JOINT.

In recent cases Tr. Ignatia is the remedy; in more chronic cases, Argentum Nitricum 6x, 3 tablets every 3 hours.

E 14 PTOSIS.

Gelsemium is the first remedy we think of in this condition, give Tr. Gelsemium 2x, 5 drops once in 3 hours. If ,with Ptosis there is a dull headache, Sepia 6x is the remedy needed, 3 tablets every 3 hours.

E 15 GASTRIC ULCER.

When the ulceration is near the pyloric end of the stomach, Nitrate of Uranium 3x is the remedy; if near the cardiac orifice with dry red tongue and thirst, Arsenicum 3x is needed, 3 tablets every 4 hours.

E 16 BLONDES AND GELSEMIUM.

I have found by experience that blondes are more susceptible to Gelsemium than dark-complexioned persons. I give the tincture in the Ix or for children in 3x.

E 17 ASTHMA.

Give 30 to 60 minims of Subculoyd Lobelia (Lloyd) hypodermically every 6 to 18 hours as per indications.

E 18 PUERPERAL CONVULSIONS.

We have used Lobelia (Subculoid) hypodermically in one dram doses for Albuminuria in Primipera, one to three times a week for 90 days. No more convulsions; mother and child did well. Gave treatment for Albumunuria and general health as indicated.

E 19 EARACHE.

Give Acetanilid for earache, no pus; may repeat in one or two hours. Have never been disappointed. Dose according to age.

E 20 WATER MOCASSIN BITE.

Give 3 to 5 grains of permanganate Potash, every 2 to 4 hours.

E 21 IVY POISON.

Apply saturated solution of Sulphate of Quinine. Keep parts wet with the above solution.

E 22 UTERINE CANCER.

In Uterine Cancer the internal treatment should exert a deterrent and absorbent influence as Kali Mur. 3x, four tablets at 8 and 12 a. m., 4 and 7 p. m. Then 3 or 4 Protonuclein tablets (3 grs.) 10 a. m., 3 and 9 p. m. Also the I-50th to I-30th gr. Strychnine before meals. In connection with the Epsom bath three times a week, we have a pleasant and reliable internal treatment.

E 23 FECAL IMPACTION OR CONSTIPATION IN THE YOUNG OR OLD.

I have had very pleasing results with Liquid Albolene given by the mouth. Write to McKesson and Robbins, New York, for literature and samples. You will not have to use the handle of a spoon, or use your index finger in your next case of impacted feces.

E 24 SAL RHEUM.

When the palms are cracked and fissured, the epidermis thickened and scaly, the following application, used night and morning on strips of gauze, cures this condition in a reasonably short time; try it and see. Oxalic acid, one dram. Cream Tartar, one dram. Water, six ounces. Mix.

E 25 BOILS AND CARBUNCLES.

They are often cured almost miraculously by injecting hypodermically every 5th day a Vaccine (Sherman) Staph. Aur. 200 to 600 millions. I speak from clinical experience. Try it and study the vaccines and add to your success.

E 26 TONSILITIS, SORE THROAT AND DIPHTHERIA.

Chloral Hydrate, gr. twenty to thirty, Glycerine, one and one-half drams. Bromo Chloralum, two ounces. Mix. Sig.: Apply with spray or swab, every 2 hours.

E 27 ACIDEMIA.

When there is general malaise, coated tongue (no fever), loss of appetite, and examination fails to show any disease entity, try the urine for acidity with the simple Harrower's acidimeter, 50 to 100 per cent increase is found in a surprising number of cases. Sodoxyllin (A.' A. Co.) used 3 or 4 times daily with a dose of salts each morning will give quick and satisfactory results. Vomiting of pregnancy is generally due to same acidity, and amenable to same treatment.

E 28 RESPIRATORY DISEASES OF CHILDREN.

For most respiratory diseases of children, accompanied with high fever, cough, nose and eyes discharging; mucus rales in the chest, and a hot dry skin, give:

Tr. Ipecac.

Tr. Belladonna aa, gtts. four.

Fe. Phos. 3x, gr. four.

Water, three ounces, with Elixir sur, to color.

Mix. Sig.: Teaspoonful every hour.

The above prescription has never failed me. The range of dose of above tinctures is from 4 to 7 gtts. according to age in half-glass mix. Too many children are lost from these diseases.

To the Members of our Association.

We want every member of our Association to make a special effort to bring in some' new members. If each member will do his part, we will roll up a grand list of members for our next Convention. If you know a good man fitted for our Association, get him to join us. Do it now. Our Mission is to help our Doctors of all Schools of Medicine to be better Physicians, to do more for the sick than they are doing. It is God's work, and it is good work.